



GENERAL NOTES:

1. ALL DIMENSIONS MUST BE CHECKED ON SITE AND ANY DISCREPANCIES REPORTED TO GUTTERMASTER LTD. PRIOR TO COMMENCEMENT OF WORK.
2. DO NOT SCALE FROM THIS DRAWING – USE FIGURED DIMENSIONS ONLY.
3. THIS DRAWINGS REMAINS THE PROPERTY OF GUTTERMASTER AND MUST NOT BE COPIED OR DISCLOSED TO A THIRD PARTY WITHOUT PRIOR CONSENT.
4. IF IN DOUBT ASK!

ASSEMBLY RECOMMENDATIONS:

1. P.V.C. ISOLATING TAPE TO BE PLACED BETWEEN DISSIMILAR METAL SURFACES.
2. USE AUSTENITIC STAINLESS STEEL FASTENERS WITH LOW PROFILE HEADS WHERE DISSIMILAR METALS ARE PRESENT – SUPPLIER/MANUFACTURER: SFS INTEC, IRIUS FIXINGS.
3. PRE DRILL HOLES FOR FIXINGS. 1mm CLEARANCE AROUND FIXING TO ALLOW FOR EXPANSION AND THUS PREVENT PROFILE DISTORTION.
4. ALLOW 1mm PER METRE EXPANSION GAP BETWEEN PROFILE LENGTHS (eg. 3mm GAP BETWEEN 3000mm PROFILE LENGTH).
5. APPLY LOW-MODULUS SILICONE SEALANT BETWEEN UNION AND PROFILE.

FOR PROJECT SPECIFIC REQUIREMENTS PLEASE CONTACT GUTTERMASTER LTD.

DETAIL NOTES:

1. ALL EXPOSED SITE CUT EDGES TO BE SEALED USING TOUCH UP PAINT TO MINIMISE BI-METALLIC CORROSION.
2. ALL EXPOSED ALUMINIUM UNION BOLTS TO BE THOROUGHLY COVERED IN LOW-MODULUS SILICONE SEALANT TO MINIMISE BI-METALLIC CORROSION.

	DRAWING CHECKED
PRINT NAME	
SIGN NAME	
DATE	
CLIENT	
CONTRACT	
DATE	31/05/2007
DRAWN BY	A.S.
TITLE	LOW LEVEL TOWER REDUCED FASCIA DETAIL

GUTTERmaster

ALUMINIUM IN CONSTRUCTION

Shawclough Trading Estate, Shawclough Road,
Rochdale, Lancashire. OL12 6ND.
Tel: 01706 869550 Fax: 01706 869551
e-mail: sales@guttermaster.co.uk

Revision	Date	Details

DWG NO	GM/1178/403	SCALE	1:10 (A3)
--------	-------------	-------	-----------