


PARTS LIST


QTY	LENGTH	PART NUMBER	DESCRIPTION	MATERIAL	COLOUR & FINISH
		FF	Flush Fix Security Pipe	2/3mm Aluminum	

STANDARD FLUSH FIX PIPE SIZES


Pipe Reference	Dim. A	Dim. B	Tick Required
FF/3x3	76	76	
FF/4x3	100	76	
FF/4x4	100	100	
FF/6x6	150	150	
FF/8x8	200	200	



VIEW ON PLAN (1 : 2)



ISOMETRIC VIEW



SIDE VIEW (1 : 5)

Client: -					
Project: -					
Title: Flush Fix Pipe Detail					
Drawing Status:					
ISSUE FOR INFORMATION					
Drawn by: A.S.	Checked by: A.S.	Date: 24/02/2012	Approved by:	Date:	
Sheet size: A4	Sheet No. (of sheets): 1 (of 25)	Project No: -	Drawing No: SFF-GEN	Revision:	

PARTS LIST


QTY	LENGTH	PART NUMBER	DESCRIPTION	MATERIAL	COLOUR & FINISH
		FFBO	Flush Fix Base Offset	2/3mm Aluminum	

STANDARD FLUSH FIX PIPE SIZES


Pipe Reference	Dim. A	Dim. B	Tick Required
FF/3x3	76	76	
FF/4x3	100	76	
FF/4x4	100	100	
FF/6x6	150	150	
FF/8x8	200	200	

COMPONENT DETAILS

Description	Standard Dim.	Specify Dim.
Projection (mm)	-	
Angle (degrees)	92.5 / 112.5 / 135	
Neck (mm)	100	
Tail (mm)	100	



ISOMETRIC VIEW



Note: Flush fix pipe fitted from ground level upwards

SIDE VIEW (1 : 5)

Client: -					
Project: -					
Title: Flush Fix Base Offset Detail					
Drawing Status: ISSUE FOR INFORMATION					
Drawn by: A.S.	Checked by: A.S.	Date: 24/02/2012	Approved by:	Date:	
Sheet size: A4	Sheet No. (of sheets): 2 (of 25)	Project No: -	Drawing No: SFF-GEN	Revision:	

PARTS LIST


QTY	LENGTH	PART NUMBER	DESCRIPTION	MATERIAL	COLOUR & FINISH
		FFBO-AD	Flush Fix Base Offset with Drain Adapter	2/3mm Aluminum	

STANDARD FLUSH FIX PIPE SIZES

Pipe Reference	Dim. A	Dim. B	Tick Required
FF/3x3	76	76	
FF/4x3	100	76	
FF/4x4	100	100	
FF/6x6	150	150	
FF/8x8	200	200	


COMPONENT DETAILS

Description	Standard Dim.	Specify Dim.
Projection (mm)	-	
Angle (degrees)	92.5 / 112.5 / 135	
Neck (mm)	100	
Tail (mm)	100	
Adapter Size (mm)	-	
Adapter Length (mm)	-	



ISOMETRIC VIEW

Note: Flush fix pipe fitted from ground level upwards



SIDE VIEW (1 : 5)

Client:						-
Project:						-
Title:						Flush Fix Pipe Offset Adapter Detail
Drawing Status:						ISSUE FOR INFORMATION
Drawn by:	Checked by:	Date:	Approved by:	Date:		
A.S.	A.S.	24/02/2012				
Sheet size:	Sheet No. (of sheets):	Project No:	Drawing No:	Revision:		
A4	3 (of 25)	-	SFF-GEN			

PARTS LIST


QTY	LENGTH	PART NUMBER	DESCRIPTION	MATERIAL	COLOUR & FINISH
		FFSH	Flush Fix Shoe	2/3mm Aluminum	

STANDARD FLUSH FIX PIPE SIZES


Pipe Reference	Dim. A	Dim. B	Tick Required
FF/3x3	76	76	
FF/4x3	100	76	
FF/4x4	100	100	
FF/6x6	150	150	
FF/8x8	200	200	

COMPONENT DETAILS

Description	Standard Dim.	Specify Dim.
Neck (mm)	100	



ISOMETRIC VIEW



Note: Flush fix pipe fitted from ground level upwards

SIDE VIEW (1 : 5)

Client:				-			
Project:				-			
Title:				Flush Fix Pipe Shoe Detail			
Drawing Status:				ISSUE FOR INFORMATION			
Drawn by:	Checked by:	Date:	Approved by:	Date:			
A.S.	A.S.	24/02/2012					
Sheet size:	Sheet No. (of sheets):	Project No:	Drawing No:	Revision:			
A4	4 (of 25)	-	SFF-GEN				

PARTS LIST


QTY	LENGTH	PART NUMBER	DESCRIPTION	MATERIAL	COLOUR & FINISH
		FFAP	Flush Fix Access Pipe/Rodding Eye	2/3mm Aluminum	

STANDARD FLUSH FIX PIPE SIZES


Pipe Reference	Dim. A	Dim. B	Tick Required
FF/3x3	76	76	
FF/4x3	100	76	
FF/4x4	100	100	
FF/6x6	150	150	
FF/8x8	200	200	

COMPONENT DETAILS

Description	Standard Dim.	Specify Dim.
Dim Y (to hole centre in mm)	LENGTH / 2	



ISOMETRIC VIEW



SIDE VIEW (1 : 5)

Client: -					
Project: -					
Title: Flush Fix Access Pipe/Rodding Eye Detail					
Drawing Status: ISSUE FOR INFORMATION					
Drawn by: A.S.	Checked by: A.S.	Date: 24/02/2012	Approved by:	Date:	
Sheet size: A4	Sheet No. (of sheets): 5 (of 25)	Project No: -	Drawing No: SFF-GEN	Revision:	

GUTTERmaster

ALUMINIUM IN CONSTRUCTION

Shawclough Trading Estate,
Shawclough Road,
Rochdale,
Lancashire,
OL12 6ND

Tel: 01706 869550
Fax: 01706 869551

e-mail: technical@guttermaster
web: www.guttermaster.co.uk

PARTS LIST


QTY	LENGTH	PART NUMBER	DESCRIPTION	MATERIAL	COLOUR & FINISH
		FFOF1	Flush Fix 1-Part Eaves Offset	2/3mm Aluminum	

STANDARD FLUSH FIX PIPE SIZES


Pipe Reference	Dim. A	Dim. B	Tick Required
FF/3x3	76	76	
FF/4x3	100	76	
FF/4x4	100	100	
FF/6x6	150	150	
FF/8x8	200	200	

COMPONENT DETAILS

Description	Standard Dim.	Specify Dim.
Projection (mm)	-	
Angle A (degrees)	92.5 / 112.5 / 135	
Angle B (degrees)	92.5 / 112.5 / 135	
Neck (mm)	100	
Tail (mm)	100	



ISOMETRIC VIEW



Note: Flush fix pipe fitted from ground level upwards

SIDE VIEW (1 : 5)

Client: -					
Project: -					
Title: Flush Fix Pipe 1-Part Eaves Offset Detail					
Drawing Status: ISSUE FOR INFORMATION					
Drawn by: A.S.	Checked by: A.S.	Date: 24/02/2012	Approved by:	Date:	
Sheet size: A4	Sheet No. (of sheets): 6 (of 25)	Project No: -	Drawing No: SFF-GEN	Revision:	

PARTS LIST


QTY	LENGTH	PART NUMBER	DESCRIPTION	MATERIAL	COLOUR & FINISH
		FFPOF1	Flush Fix 1-Part Forward Projection Eaves Offset	2/3mm Aluminum	

STANDARD FLUSH FIX PIPE SIZES


Pipe Reference	Dim. A	Dim. B	Tick Required
FF/3x3	76	76	
FF/4x3	100	76	
FF/4x4	100	100	
FF/6x6	150	150	
FF/8x8	200	200	

COMPONENT DETAILS

Description	Standard Dim.	Specify Dim.
Projection (mm)	-	
Angle A (degrees)	92.5 / 112.5 / 135	
Angle B (degrees)	92.5 / 112.5 / 135	
Neck (mm)	100	
Tail (mm)	100	



ISOMETRIC VIEW



SIDE VIEW (1 : 5)

Client:				-
Project:				-
Title:				Flush Fix Pipe 1-Part Forward Projection Offset Details
Drawing Status:				ISSUE FOR INFORMATION
Drawn by:	Checked by:	Date:	Approved by:	Date:
A.S.	A.S.	24/02/2012		
Sheet size:	Sheet No. (of sheets):	Project No:	Drawing No:	Revision:
A4	7 (of 25)	-	SFF-GEN	

PARTS LIST


QTY	LENGTH	PART NUMBER	DESCRIPTION	MATERIAL	COLOUR & FINISH
		FFOF2	Flush Fix 2-Part Eaves Offset	2/3mm Aluminum	

STANDARD FLUSH FIX PIPE SIZES


Pipe Reference	Dim. A	Dim. B	Tick Required
FF/3x3	76	76	
FF/4x3	100	76	
FF/4x4	100	100	
FF/6x6	150	150	
FF/8x8	200	200	

COMPONENT DETAILS

Description	Standard Dim.	Specify Dim.
Projection (mm)	-	
Angle A (degrees)	92.5 / 112.5 / 135	
Angle B (degrees)	92.5 / 112.5 / 135	
Neck (mm)	100	
Tail (mm)	100	




ISOMETRIC VIEW



SIDE VIEW (1 : 5)

Note: Flush fix pipe fitted from ground level upwards



Client: -					
Project: -					
Title: Flush Fix 2-Part Eaves Offset Detail					
Drawing Status:					
ISSUE FOR INFORMATION					
Drawn by:	Checked by:	Date:	Approved by:	Date:	
A.S.	A.S.	24/02/2012			
Sheet size:	Sheet No. (of sheets):	Project No:	Drawing No:	Revision:	
A4	8 (of 25)	-	SFF-GEN		

GUTTERmaster

ALUMINIUM IN CONSTRUCTION

Shawclough Trading Estate,
Shawclough Road,
Rochdale,
Lancashire.
OL12 6ND

Tel: 01706 869550
Fax: 01706 869551

e-mail: technical@guttermaster
web: www.guttermaster.co.uk

PARTS LIST


QTY	LENGTH	PART NUMBER	DESCRIPTION	MATERIAL	COLOUR & FINISH
		FFPOF2	Flush Fix 2-Part Forward Projection Eaves Offset	2/3mm Aluminum	

STANDARD FLUSH FIX PIPE SIZES


Pipe Reference	Dim. A	Dim. B	Tick Required
FF/3x3	76	76	
FF/4x3	100	76	
FF/4x4	100	100	
FF/6x6	150	150	
FF/8x8	200	200	

COMPONENT DETAILS

Description	Standard Dim.	Specify Dim.
Projection (mm)	-	
Angle A (degrees)	92.5 / 112.5 / 135	
Angle B (degrees)	92.5 / 112.5 / 135	
Neck (mm)	100	
Tail (mm)	100	



ISOMETRIC VIEW



SIDE VIEW (1 : 5)

Client:				-			
Project:				-			
Title:				Flush Fix 2-Part Forward Projection Eaves Offset Detail			
Drawing Status:				ISSUE FOR INFORMATION			
Drawn by:	Checked by:	Date:	Approved by:	Date:			
A.S.	A.S.	24/02/2012					
Sheet size:	Sheet No. (of sheets):	Project No:	Drawing No:	Revision:			
A4	9 (of 25)	-	SFF-GEN				

PARTS LIST


QTY	LENGTH	PART NUMBER	DESCRIPTION	MATERIAL	COLOUR & FINISH
		FFPO1	Flush Fix 1-Part Plinth Offset	2/3mm Aluminum	

STANDARD FLUSH FIX PIPE SIZES


Pipe Reference	Dim. A	Dim. B	Tick Required
FF/3x3	76	76	
FF/4x3	100	76	
FF/4x4	100	100	
FF/6x6	150	150	
FF/8x8	200	200	

COMPONENT DETAILS

Description	Standard Dim.	Specify Dim.
Projection (mm)	-	
Angle A (degrees)	92.5 / 112.5 / 135	
Angle B (degrees)	92.5 / 112.5 / 135	
Neck (mm)	100	
Tail (mm)	100	



ISOMETRIC VIEW



SIDE VIEW (1 : 5)

Client: -					
Project: -					
Title: Flush Fix 1-Part Plinth Offset Detail					
Drawing Status: ISSUE FOR INFORMATION					
Drawn by: A.S.	Checked by: A.S.	Date: 24/02/2012	Approved by:	Date:	
Sheet size: A4	Sheet No. (of sheets): 10 (of 25)	Project No: -	Drawing No: SFF-GEN	Revision:	

PARTS LIST


QTY	LENGTH	PART NUMBER	DESCRIPTION	MATERIAL	COLOUR & FINISH
		FFPO2	Flush Fix 2-Part Plinth Offset	2/3mm Aluminum	

STANDARD FLUSH FIX PIPE SIZES

Pipe Reference	Dim. A	Dim. B	Tick Required
FF/3x3	76	76	
FF/4x3	100	76	
FF/4x4	100	100	
FF/6x6	150	150	
FF/8x8	200	200	


COMPONENT DETAILS

Description	Standard Dim.	Specify Dim.
Projection (mm)	-	
Angle A (degrees)	92.5 / 112.5 / 135	
Angle B (degrees)	92.5 / 112.5 / 135	
Neck (mm)	100	
Tail (mm)	100	



ISOMETRIC VIEW

Note: Flush fix pipe fitted from ground level upwards



SIDE VIEW (1 : 5)

Client: -					
Project: -					
Title: Flush Fix 2-Part Plinth Offset					
Drawing Status:					
ISSUE FOR INFORMATION					
Drawn by: A.S.	Checked by: A.S.	Date: 24/02/2012	Approved by:	Date:	
Sheet size: A4	Sheet No. (of sheets): 11 (of 25)	Project No: -	Drawing No: SFF-GEN	Revision:	

PARTS LIST


QTY	LENGTH	PART NUMBER	DESCRIPTION	MATERIAL	COLOUR & FINISH
		FFLHO1	Flush Fix 1-Part Left Hand Side Offset	2/3mm Aluminum	

STANDARD FLUSH FIX PIPE SIZES


Pipe Reference	Dim. A	Dim. B	Tick Required
FF/3x3	76	76	
FF/4x3	100	76	
FF/4x4	100	100	
FF/6x6	150	150	
FF/8x8	200	200	

COMPONENT DETAILS

Description	Standard Dim.	Specify Dim.
Projection (mm)	-	
Angle A (degrees)	92.5 / 112.5 / 135	
Angle B (degrees)	92.5 / 112.5 / 135	
Neck (mm)	100	
Tail (mm)	100	



ISOMETRIC VIEW



FRONT VIEW (1 : 5)

Client: -					
Project: -					
Title: Flush Fix 1-Part Left Hand Side Offset Detail					
Drawing Status: ISSUE FOR INFORMATION					
Drawn by: A.S.	Checked by: A.S.	Date: 24/02/2012	Approved by:	Date:	
Sheet size: A4	Sheet No. (of sheets): 12 (of 25)	Project No: -	Drawing No: SFF-GEN	Revision:	

PARTS LIST


QTY	LENGTH	PART NUMBER	DESCRIPTION	MATERIAL	COLOUR & FINISH
		FFROF1	Flush Fix 1-Part Right Hand Side Offset	2/3mm Aluminum	

STANDARD FLUSH FIX PIPE SIZES


Pipe Reference	Dim. A	Dim. B	Tick Required
FF/3x3	76	76	
FF/4x3	100	76	
FF/4x4	100	100	
FF/6x6	150	150	
FF/8x8	200	200	

COMPONENT DETAILS

Description	Standard Dim.	Specify Dim.
Projection (mm)	-	
Angle A (degrees)	92.5 / 112.5 / 135	
Angle B (degrees)	92.5 / 112.5 / 135	
Neck (mm)	100	
Tail (mm)	100	



ISOMETRIC VIEW



FRONT VIEW (1 : 5)

Client:				-			
Project:				-			
Title:				Flush Fix 1-Part Right Hand Side Offset Detail			
Drawing Status:				ISSUE FOR INFORMATION			
Drawn by:	Checked by:	Date:	Approved by:	Date:			
A.S.	A.S.	24/02/2012					
Sheet size:	Sheet No. (of sheets):	Project No:	Drawing No:	Revision:			
A4	13 (of 25)	-	SFF-GEN				

GUTTERmaster

ALUMINIUM IN CONSTRUCTION

Shawclough Trading Estate,
Shawclough Road,
Rochdale,
Lancashire,
OL12 6ND

Tel: 01706 869550
Fax: 01706 869551

e-mail: technical@guttermaster
web: www.guttermaster.co.uk

PARTS LIST


QTY	LENGTH	PART NUMBER	DESCRIPTION	MATERIAL	COLOUR & FINISH
		FFLHO2	Flush Fix 2-Part Left Hand Side Offset	2/3mm Aluminum	

STANDARD FLUSH FIX PIPE SIZES


Pipe Reference	Dim. A	Dim. B	Tick Required
FF/3x3	76	76	
FF/4x3	100	76	
FF/4x4	100	100	
FF/6x6	150	150	
FF/8x8	200	200	

COMPONENT DETAILS

Description	Standard Dim.	Specify Dim.
Projection (mm)	-	
Angle A (degrees)	92.5 / 112.5 / 135	
Angle B (degrees)	92.5 / 112.5 / 135	
Neck (mm)	100	
Tail (mm)	100	



ISOMETRIC VIEW



FRONT VIEW (1 : 5)

Client: -					
Project: -					
Title: Flush Fix 2-Part Left Hand Offset Detail					
Drawing Status: ISSUE FOR INFORMATION					
Drawn by: A.S.	Checked by: A.S.	Date: 24/02/2012	Approved by:	Date:	
Sheet size: A4	Sheet No. (of sheets): 14 (of 25)	Project No: -	Drawing No: SFF-GEN	Revision:	

PARTS LIST


QTY	LENGTH	PART NUMBER	DESCRIPTION	MATERIAL	COLOUR & FINISH
		FFRB2	Flush Fix 2-Part Right Hand Side Offset	2/3mm Aluminum	

STANDARD FLUSH FIX PIPE SIZES


Pipe Reference	Dim. A	Dim. B	Tick Required
FF/3x3	76	76	
FF/4x3	100	76	
FF/4x4	100	100	
FF/6x6	150	150	
FF/8x8	200	200	

COMPONENT DETAILS

Description	Standard Dim.	Specify Dim.
Projection (mm)	-	
Angle A (degrees)	92.5 / 112.5 / 135	
Angle B (degrees)	92.5 / 112.5 / 135	
Neck (mm)	100	
Tail (mm)	100	



ISOMETRIC VIEW



FRONT VIEW (1 : 5)

Client:					
Project:					
Title: Flush Fix 2-Part Right Hand Side Offset Detail					
Drawing Status: ISSUE FOR INFORMATION					
Drawn by: A.S.	Checked by: A.S.	Date: 24/02/2012	Approved by:	Date:	
Sheet size: A4	Sheet No. (of sheets): 15 (of 25)	Project No: -	Drawing No: SFF-GEN	Revision:	

PARTS LIST


QTY	LENGTH	PART NUMBER	DESCRIPTION	MATERIAL	COLOUR & FINISH
		FFLB	Flush Fix Left Hand Side Bend	2/3mm Aluminum	

STANDARD FLUSH FIX PIPE SIZES


Pipe Reference	Dim. A	Dim. B	Tick Required
FF/3x3	76	76	
FF/4x3	100	76	
FF/4x4	100	100	
FF/6x6	150	150	
FF/8x8	200	200	

COMPONENT DETAILS

Description	Standard Dim.	Specify Dim.
L1 (mm)	100	
Angle (degrees)	92.5 / 112.5 / 135	
Neck (mm)	100	



ISOMETRIC VIEW



FRONT VIEW (1 : 5)

Note: Flush fix pipe fitted from ground level upwards



Client: -					
Project: -					
Title: Flush Fix Left Hand Bend Detail					
Drawing Status: ISSUE FOR INFORMATION					
Drawn by: A.S.	Checked by: A.S.	Date: 24/02/2012	Approved by:	Date:	
Sheet size: A4	Sheet No. (of sheets): 16 (of 25)	Project No: -	Drawing No: SFF-GEN	Revision:	

GUTTERmaster

ALUMINIUM IN CONSTRUCTION

Shawclough Trading Estate,
Shawclough Road,
Rochdale,
Lancashire,
OL12 6ND

Tel: 01706 869550
Fax: 01706 869551

e-mail: technical@guttermaster
web: www.guttermaster.co.uk

PARTS LIST


QTY	LENGTH	PART NUMBER	DESCRIPTION	MATERIAL	COLOUR & FINISH
		FFRB	Flush Fix Right Hand Side Bend	2/3mm Aluminum	

STANDARD FLUSH FIX PIPE SIZES


Pipe Reference	Dim. A	Dim. B	Tick Required
FF/3x3	76	76	
FF/4x3	100	76	
FF/4x4	100	100	
FF/6x6	150	150	
FF/8x8	200	200	

COMPONENT DETAILS

Description	Standard Dim.	Specify Dim.
L1 (mm)	100	
Angle (degrees)	92.5 / 112.5 / 135	
Neck (mm)	100	



ISOMETRIC VIEW



FRONT VIEW (1 : 5)

Client:				-			
Project:				-			
Title:				Flush Fix Right Hand Bend Detail			
Drawing Status:				ISSUE FOR INFORMATION			
Drawn by:	Checked by:	Date:	Approved by:	Date:			
A.S.	A.S.	24/02/2012					
Sheet size:	Sheet No. (of sheets):	Project No:	Drawing No:	Revision:			
A4	17 (of 25)	-	SFF-GEN				

PARTS LIST


QTY	LENGTH	PART NUMBER	DESCRIPTION	MATERIAL	COLOUR & FINISH
		FFRO1	Flush Fix 1-Part Rear Projection Plinth Offset	2/3mm Aluminum	

STANDARD FLUSH FIX PIPE SIZES


Pipe Reference	Dim. A	Dim. B	Tick Required
FF/3x3	76	76	
FF/4x3	100	76	
FF/4x4	100	100	
FF/6x6	150	150	
FF/8x8	200	200	

COMPONENT DETAILS

Description	Standard Dim.	Specify Dim.
Projection (mm)	-	
Angle A (degrees)	92.5 / 112.5 / 135	
Angle B (degrees)	92.5 / 112.5 / 135	
Neck (mm)	100	
Tail (mm)	100	



ISOMETRIC VIEW



SIDE VIEW (1 : 5)

Note: Flush fix pipe fitted from ground level upwards

Client:				-	
Project:				-	
Title:				Flush Fix 1-Part Rear Projection Plinth Offset Detail	
Drawing Status:				ISSUE FOR INFORMATION	
Drawn by:	Checked by:	Date:	Approved by:	Date:	
A.S.	A.S.	24/02/2012			
Sheet size:	Sheet No. (of sheets):	Project No:	Drawing No:	Revision:	
A4	18 (of 25)	-	SFF-GEN		

PARTS LIST


QTY	LENGTH	PART NUMBER	DESCRIPTION	MATERIAL	COLOUR & FINISH
		FFRO2	Flush Fix 2-Part Rear Projection Plinth Offset	2/3mm Aluminum	

STANDARD FLUSH FIX PIPE SIZES


Pipe Reference	Dim. A	Dim. B	Tick Required
FF/3x3	76	76	
FF/4x3	100	76	
FF/4x4	100	100	
FF/6x6	150	150	
FF/8x8	200	200	

COMPONENT DETAILS

Description	Standard Dim.	Specify Dim.
Projection (mm)	-	
Angle A (degrees)	92.5 / 112.5 / 135	
Angle B (degrees)	92.5 / 112.5 / 135	
Neck (mm)	100	
Tail (mm)	100	



ISOMETRIC VIEW



SIDE VIEW (1 : 5)

Client:		-	
Project:		-	
Title:		Flush Fix 2-Part Rear Projection Plinth Offset Detail	
Drawing Status:		ISSUE FOR INFORMATION	
Drawn by:	Checked by:	Date:	Approved by:
A.S.	A.S.	24/02/2012	
Sheet size:	Sheet No. (of sheets):	Project No:	Drawing No:
A4	19 (of 25)	-	SFF-GEN

PARTS LIST


QTY	LENGTH	PART NUMBER	DESCRIPTION	MATERIAL	COLOUR & FINISH
		FFLHBR	Flush Fix Left Hand Side Branch	2/3mm Aluminum	

STANDARD FLUSH FIX PIPE SIZES


Pipe Reference	Dim. A	Dim. B	Tick Required
FF/3x3	76	76	
FF/4x3	100	76	
FF/4x4	100	100	
FF/6x6	150	150	
FF/8x8	200	200	

COMPONENT DETAILS

Description	Standard Dim.	Specify Dim.
L1 (mm)	300 / 500	
L2 (mm)	150	
Angle (degrees)	92.5 / 112.5 / 135	



ISOMETRIC VIEW



FRONT VIEW (1 : 5)

Client:				-			
Project:				-			
Title:				Flush Fix Branch with Left Hand Connection Detail			
Drawing Status:				ISSUE FOR INFORMATION			
Drawn by:	Checked by:	Date:	Approved by:	Date:			
A.S.	A.S.	24/02/2012					
Sheet size:	Sheet No. (of sheets):	Project No:	Drawing No:	Revision:			
A4	20 (of 25)	-	SFF-GEN				

PARTS LIST


QTY	LENGTH	PART NUMBER	DESCRIPTION	MATERIAL	COLOUR & FINISH
		FFRHBR	Flush Fix Right Hand Side Branch	2/3mm Aluminum	

STANDARD FLUSH FIX PIPE SIZES


Pipe Reference	Dim. A	Dim. B	Tick Required
FF/3x3	76	76	
FF/4x3	100	76	
FF/4x4	100	100	
FF/6x6	150	150	
FF/8x8	200	200	

COMPONENT DETAILS

Description	Standard Dim.	Specify Dim.
L1 (mm)	300 / 500	
L2 (mm)	150	
Angle (degrees)	92.5 / 112.5 / 135	



ISOMETRIC VIEW



FRONT VIEW (1 : 5)

Client:		-	
Project:		-	
Title:		Flush Fix Branch with Right Hand Connection Detail	
Drawing Status:		ISSUE FOR INFORMATION	
Drawn by:	Checked by:	Date:	Approved by:
A.S.	A.S.	24/02/2012	
Sheet size:	Sheet No. (of sheets):	Project No:	Drawing No:
A4	21 (of 25)	-	SFF-GEN

PARTS LIST

QTY	LENGTH	PART NUMBER	DESCRIPTION	MATERIAL	COLOUR & FINISH
		FFOF1-AD	Flush Fix 1-Part Eaves Offset with Adapter	2/3mm Aluminum	


STANDARD FLUSH FIX PIPE SIZES

Pipe Reference	Dim. A	Dim. B	Tick Required
FF/3x3	76	76	
FF/4x3	100	76	
FF/4x4	100	100	
FF/6x6	150	150	
FF/8x8	200	200	


COMPONENT DETAILS

Description	Standard Dim.	Specify Dim.
Projection (mm)	-	
Angle A (degrees)	92.5 / 112.5 / 135	
Angle B (degrees)	92.5 / 112.5 / 135	
Neck (mm)	100	
Tail (mm)	100	
Adapter Size (mm)	-	
Adapter Length (mm)	-	

Note: Adapter diameter can be larger or smaller than the flush fix pipe section. Please ensure flow calculations accommodate any restrictions.



ISOMETRIC VIEW



SIDE VIEW (1 : 5)

Client: -					
Project: -					
Title: Flush Fix Pipe 1-Part Eaves Offset with Adapter Detail					
Drawing Status: ISSUE FOR INFORMATION					
Drawn by: A.S.	Checked by: A.S.	Date: 24/02/2012	Approved by:	Date:	
Sheet size: A4	Sheet No. (of sheets): 22 (of 25)	Project No: -	Drawing No: SFF-GEN	Revision:	

PARTS LIST

QTY	LENGTH	PART NUMBER	DESCRIPTION	MATERIAL	COLOUR & FINISH
		FFOF2-AD	Flush Fix 2-Part Eaves Offset with Adapter	2/3mm Aluminum	


STANDARD FLUSH FIX PIPE SIZES

Pipe Reference	Dim. A	Dim. B	Tick Required
FF/3x3	76	76	
FF/4x3	100	76	
FF/4x4	100	100	
FF/6x6	150	150	
FF/8x8	200	200	


COMPONENT DETAILS

Description	Standard Dim.	Specify Dim.
Projection (mm)	-	
Angle A (degrees)	92.5 / 112.5 / 135	
Angle B (degrees)	92.5 / 112.5 / 135	
Neck (mm)	100	
Tail (mm)	100	
Adapter Size (mm)	-	
Adapter Length (mm)	-	

Note: Adapter diameter can be larger or smaller than the flush fix pipe section. Please ensure flow calculations accommodate any restrictions.



ISOMETRIC VIEW



SIDE VIEW (1 : 5)

Client:					
Project:					
Title: Flush Fix 2-Part Eaves Offset with Adapter Detail					
Drawing Status: ISSUE FOR INFORMATION					
Drawn by: A.S.	Checked by: A.S.	Date: 24/02/2012	Approved by:	Date:	
Sheet size: A4	Sheet No. (of sheets): 23 (of 25)	Project No: -	Drawing No: SFF-GEN	Revision:	

PARTS LIST


QTY	LENGTH	PART NUMBER	DESCRIPTION	MATERIAL	COLOUR & FINISH
		FFPOF1-AD	Flush Fix 1-Pt. F/wd Proj. Eaves Offset with Adapter	2/3mm Aluminum	

STANDARD FLUSH FIX PIPE SIZES


Pipe Reference	Dim. A	Dim. B	Tick Required
FF/3x3	76	76	
FF/4x3	100	76	
FF/4x4	100	100	
FF/6x6	150	150	
FF/8x8	200	200	

COMPONENT DETAILS

Description	Standard Dim.	Specify Dim.
Projection (mm)	-	
Angle A (degrees)	92.5 / 112.5 / 135	
Angle B (degrees)	92.5 / 112.5 / 135	
Neck (mm)	100	
Tail (mm)	100	
Adapter Size (mm)	-	
Adapter Length (mm)	-	



ISOMETRIC VIEW



SIDE VIEW (1 : 5)

Client:		-	
Project:		-	
Title:		Flush Fix 1-Part Forward Projection Eaves Offset Detail	
Drawing Status:		ISSUE FOR INFORMATION	
Drawn by:	Checked by:	Date:	Approved by:
A.S.	A.S.	24/02/2012	
Sheet size:	Sheet No. (of sheets):	Project No:	Drawing No:
A4	24 (of 25)	-	SFF-GEN

PARTS LIST


QTY	LENGTH	PART NUMBER	DESCRIPTION	MATERIAL	COLOUR & FINISH
		FFPOF2-AD	Flush Fix 2-Pt. F/wd Proj. Eaves Offset with Adapter	2/3mm Aluminum	

STANDARD FLUSH FIX PIPE SIZES


Pipe Reference	Dim. A	Dim. B	Tick Required
FF/3x3	76	76	
FF/4x3	100	76	
FF/4x4	100	100	
FF/6x6	150	150	
FF/8x8	200	200	

COMPONENT DETAILS

Description	Standard Dim.	Specify Dim.
Projection (mm)	-	
Angle A (degrees)	92.5 / 112.5 / 135	
Angle B (degrees)	92.5 / 112.5 / 135	
Neck (mm)	100	
Tail (mm)	100	
Adapter Size (mm)	-	
Adapter Length (mm)	-	



ISOMETRIC VIEW



SIDE VIEW (1 : 5)

Client:				-			
Project:				-			
Title:				Flush Fix 2-Part Forward Projection Eaves Offset			
Drawing Status:				ISSUE FOR INFORMATION			
Drawn by:	Checked by:	Date:	Approved by:	Date:			
A.S.	A.S.	24/02/2012					
Sheet size:	Sheet No. (of sheets):	Project No:	Drawing No:	Revision:			
A4	25 (of 25)	-	SFF-GEN				